Contents

Preface ix

Photograph and List of Participants x

Maxilliped lecture

How many copepods?
by A.G. Humes 1

Systematics

Acartia tonsa: a species new for the Black Sea fauna
by G. Belmonte, M.G. Mazzocchi, I.Y. Prusova & N.V. Shadrin 9

A new species of *Erebonectes* (Copepoda, Calanoida) from marine caves on Caicos Islands, West Indies
by A. Fosshagen & T.M. Iliffe 17

Nomenclature, redescription, and new record from Okinawa of *Cymbasoma morii* Sekiguchi, 1982 (Monstrilloida)
by M.J. Grygier 23

Copepod phylogeny: a reconsideration of Huys & Boxshall's 'parsimony versus homology'
by J-S. Ho 31

Mesocyclops thermocyclopoides species-group: redefinition and content
by M. Holynski & F. Fiers 41

Variation in the species of freshwater harpacticoid copepods in Japan. II. *Attheyella nakaii* (Brehm)
by T. Ishida 53

Glaciella, a new genus of freshwater Canthocamptidae (Copepoda, Harpacticoida) from a glacier in Nepal, Himalayas
by Y. Kikuchi 59

Descriptions of *Acartia (Euacartia)* southwelli Sewell 1914 and *Acartia (Euacartia) sarojus* n.sp. from India and status of the subgenus *Euacartia* Steuer 1923
by M. Madhupratap & P. Haridas 67

Morphometric study of *Calanus chilensis* males along the Chilean coast
by V. Marín, S. Espinoza & A. Fleminger 75

Boeckella diamantina n.sp. (Callanoida, Centropagidae), from a high Andean lake in Mendoza, Argentina
by S.A. Menu-Marque & L.R. Zúñiga 81

Haplostomides hawaiiensis, new species (Copepoda: Cyclopoida: Ascidicolidae), associated with the ascidian *Polyclinum constellatum* at Honolulu, Hawaii
by S. Ooishi 89

Tropodiaptomus zambeziensis, *T. bhangazii* and *T. capriviensis*, three new species of *Tropodiaptomus* (Copepoda, Calanoida) from southern Africa
by N.A. Rayner 97

Troglocyclops janstocki, new genus, new species, a very primitive cyclopid (Copepoda: Cyclopoida) from an anchialine cave in the Bahamas
by C.E.F. da Rocha & T.M. Iliffe 105
Senecella siberica n.sp. and the position of the genus *Senecella* in Calanoida classification
by N.V. Vyshkvartzeva 113
A clarification of two congeners, *Pseudodiaptomus lobipes* and *P. binghami* (Calanoida, Pseudodiaptomidae) from India, with description of *P. mixtus* sp.n. from Bangladesh
by T.C. Walter 123

Morphology
Morphological aspects of subitaneous and resting eggs from *Acartia josephinae* (Calanoida)
by G. Belmonte & M. Puce 131
The integumental ultrastructure of *Parathalestris harpactoides* (Claus, 1863) (copepoda, harpacticoida)
by J. Bresciani & H.-U. Dahms 137
Importance of the genital operculum in the taxonomy of South American Diaptomidae (Copepoda, Calanoida)
by G. Cicchino 143
Morphological variability of geographically distinct populations of the estuarine copepod *Acartia Tonsa*
by T.G. Garmew, S. Hammond, A. Mercantini, J. Morgan, C. Neunert & J.A. Fornshell . 149
Speculations on enigmatic structures in relation to associated copepod phylogeny
by R.V. Gotto 157
Copepodid stages of *Conchyliurus quintus* Tanaka, 1961 (Poecilostomatoida, Clausidiidae) associated with bivalve mollusks
by I-H. Kim 161
External morphology of the male and female of *Sphyrion lumpi* (Krøyer, 1845) (Copepoda; Siphonostomatoida; Sphyriidae)
by J.D.W. Moran & W. Piasecki 171
Variability of *Acartia clausi* in the Black Sea
by N.V. Shadrin & E.V. Popova 179

Feeding and reproduction
Induction of diapause egg production in *Eurytemora affinis* by their own metabolites
by S. Ban & T. Minoda 185
Seasonal feeding and fecundity of the calanoid copepod *Acartia tonsa* in Long Island Sound: is omnivory important to egg production?
by H.G. Dam, W.T. Peterson & D.C. Bellantoni 191
Physiological characteristics of the antarctic copepod *Calanoides acutus* during late summer in the Weddell Sea
by A.V. Drits, A.F. Pasternak & K.N. Kosobokova 201
Diapause dynamics of two diaptomid copepod species in a large lake
by N.G. Hairston, Jr. & R.A. van Brunt 209
Reproduction of the calanoid copepod *Calanus propinquus* in the southern Weddell Sea, Antarctica: observations in laboratory
by K.N. Kosobokova 219

Reproductive behaviour in the harpacticoid copepod *Tigriopus fulvus*
by I. Lazzaretto, F. Franco & B. Battaglia 229
Ingestion of the cyanobacterium *Trichodesmium* spp. by pelagic harpacticoid copepods *Macrosetella, Miracia* and *Oculosetella*
by J.M. O'Neill & M.R. Roman 235
Gut fluorescence in herbivorous copepods: an attempt to justify the method
by A.F. Pasternak 241
Copepod grazing in a summer cyanobacteria bloom in the Gulf of Finland
by K.G. Sellner, M.M. Olson & K. Kononen 249
Surface glycoproteins in copepods: potential signals for mate recognition
by T.W. Snell & M.J. Carmona 255

Distributions in time and space
Labidocera aestiva and *L. scotti* in Tamiahua Lagoon, Veracruz, Mexico
by C. Alvarez-Silva & S. Gómez-Aguirre 265
The microcopepod fauna in the Eastern Mediterranean and Arabian Seas: a comparison with the Red Sea Fauna
by R. Böttger-Schnack 271
Seasonal variations in carbon and nitrogen content of *Acartia clausi* (Copepoda, Calanoida) in the Gulf of Trieste (Northern Adriatic Sea)
by B. Cataletto & S.F. Umani 283
Life cycle of *Calanus chilensis* Brodsky in Bay of San Jorge, Antofagasta, Chile
by R. Escribano & L. Rodriguez 289
Copepod nauplii from the barrier reef of Belize
by J.A. Fornshell 295
Seasonal succession of Copepoda in the Bahía Blanca estuary
by M.S. Hoffmeyer 303
Spermatophore transfer in *Euchaeta* species in a 2000 m water column
by J. Mauchline 309
Geographic distribution of the bathypelagic genus *paraeuchaeta* (Coepoda, Calanoida)
by T. Park 317
Diel changes in copepod respiration rates
by E.V. Pavlova 333
Latitudinal diversity patterns of continental benthic copepod species assemblages in the Americas
by J.W. Reid 341
A calanoid copepod *Gladioferens imparipes*, holding to surfaces
by R.J. Rippingale 351
Autecology of an intertidal Alaskan harpacticoid copepod *Apolethon* sp.
by N.V. Schizas & T.C. Shirley 361
Diversity and structure of pelagic copepod populations in the frontal zone of the eastern Alboran Sea
by G. Seguin, A. Errhif & S. Dallot 369
Freshwater littoral copepods of British Columbia and Alberta (Canada)
by C.-T. Shih & R. Chengalath 379

Diel vertical migration and gut pigment rhythm of *Paracalanus parvus, P. crassirostris, Acartia erythraea* and *Eucalanus subcrassus* (Copepoda, Calanoida) in Tolo harbour, Hong Kong
by K.W. Tang, Q.C. Chen & C.K. Wong 389
Seasonal variability in the individual carbon content of the calanoid copepod *Acartia bifilosa* from the northern Baltic Sea
by S. Tanskanen 397
Planktonic copepods of Boston Harbor, Massachusetts Bay and Cape Cod Bay, 1992
by J.T. Turner 405
Seasonal dynamics of *Acartia bifilosa* and *Eurytemora affinis* (Coepoda: Calanoida) in relation to abiotic factors in the northern Baltic Sea
by M. Viitasalo, T. Katajisto & I. Vuorinen 415
Life history traits of the tropical freshwater copepod *Mesocyclops longisetus* (Crustacea: Copepoda)
by G.A. Wyngaard, C.E. Goulden & A. Nourbakhsh 423
Species assemblages of cyclopoid Copepoda from Mantecal, Venezuela
by E.Z. de Roa 429

Environmental relationships
Trophic roles of particle feeders and detritus in a mangrove island prop root ecosystem
by J.W. Ambler, J. Alcala-Herrara & R. Burke 437
Factors affecting feeding selectivity of visual predators on the copepod *Acartia tonsa*: locomotion, visibility and escape responses
by E.J. Buskey 447
Commensal life, sexual dimorphism, and handedness in the canuellid harpacticoid *Parasunaristes chelicerata* (Por & Marcus, 1972)
by C.L. Falck & T.E. Bowman 455
Salinity stress proteins in *Eurytemora affinis*
by C.R.M. Gonzalez & B.P. Bradley 461
Development of *Acartia clausi* (Copepoda, Calanoida) cultured at different conditions of temperature and food
by W.C.M. Klein Breteler & N. Schogt 469
Coexistence and competition within *Acartia* (Copepoda, Calanoida) congeners from Lebanese coastal water: nice overlap measurements
by S. Lakkis 481
Use of cyclopoid copepods for mosquito control
by G.G. Marten, E.S. Bordes & M. Nguyen 491
Effects of impounding coastal salt marsh for mosquito control on microcrustacean populations
by E. Ruber, A. Gilbert, P.A. Montagna, G. Gillis & E. Cummings 497
Sublethal effects of cupric ion activity on the phototaxis of three calanoid copepods
by D.E. Stearns & A.A. Sharp 505
Replacement of large copepods by small ones with eutrophication of embayments: cause and consequence
by S.-I. Uye 513
The role of copepods in the planktonic ecosystems of mixed and stratified waters of the European shelf seas
by R. Williams, D.V.P. Conway & H.G. Hunt 521